References

Chalmers-Hunt, J. M. 1961, The Butterflies and Moths of Kent, Vol. 1: 87-89. 1 142. Buncle, Arbroath.

Firmin, J., et al. 1975. The Butterflies and Larger Moths of Essex. 34 Essex Naturalists Trust.

Ford, E. B., 1945. Butterflies. Collins: New Naturalist.

Higgins, L. G., 1955. A descriptive catalogue of the genus Mellicta. Trans.R. ent. Soc. Soc. Lond. Vol. 106 Part 1.
 Gainsford, A. P., 1972. Observations on British Butterflies in 1971 Ent. Rec. 84: 88.

Gainsford, A. P., 1975. Mellicta athalia Rott. in East Cornwall 1974. Ent. Rec., 87: 172.

Luckens, C. J., 1971. Observations on British Butterflies in 1970. Ent. Rec., 83: 259. Luckens, C. J., 1973a. Observations on British Butterflies in 1971. Ent.

Rec., 85: 84.

Luckens, C. J., 1973b. Observations on British Butterflies in 1972. Ent. Rec., 85 181.

Luckens, C. J., 1974. Observations on British Butterflies in 1973. Ent. Rec., 86 188.

Luckens, C. J., 1975. Notes on British Butterflies 1974. Ent. Rec.,

Luckens, C. J., 1977. Observations on British Butterflies in 1976. Ent. Rec., 89 172. Luckens, C. J., 1978. Observations on British Butteflies in 1977. Ent. Rec., 90 150.

Newman, E., 1871, Illustrated Natural History of British Butterflies. Tweedie London.

Newman, L. H., 1954. Butterfly Farmer.
Richards, A. W., 1957. The Lepidoptera of the Aldershot District of N.E. Hampshore. Ent. Rec., 69: 114-117.
South, R., 1921. The Butterflies of the British Isles, 98-100 Warne.
Verity, R., 1940. Revision of the athalia group of the genus Melitaea

Fab. Trans. R. Ent. Soc. Lond. Vol. 89. Part 14.

Some Notes on the Vapourer Moth: Orgyia antiqua L. - During 1979 I reared six antiqua larvae which all hatched on 22nd April from a single batch of eggs. They eventually produced four male imagines and two females. I was most interested to discover that the latter required four instars to complete their larval growth, the males only three, and wonder if this difference has been noted before? Three of the males emerged from their cocoons on 31st May and the remaining one on 2nd June, on which date one of the females also appeared. The other female emerged the previous day. -MARGARET REESE, Flat 6, 2 All Saints Road, Clifton, Bristol, BS8 2JH, 11.viii.1980.

A NORTHERN RECORD OF AETHES BEATRICELLA (WALS.). - A specimen of this moth was swept from vegetation on a stream bank at Waren Mill, Northumberland on 27th July 1980. Bradley, Tremewan & Smith in British Tortricoid Moths, Vol. I give the distribution of this moth as "... locally common in the southern and south-eastern countes of England, and apparently not found elsewhere . . .". It is interesting to note that beatricella was recorded in 1976 from Derbyshire and Yorkshire, apparently for the first time (Harrison, F., Ent. Rec., 89: 208). — PAUL SOKOLOFF, Orpington, Kent.